EU 584

ISSN 0013-8908

THE ENTOMOLOGIST'S MONTHLY MAGAZINE

World List Abbreviation, 4th ed. (1963): *Entomologist's mon. Mag.*

EDITED BY
B. M. HOBBY, M.A., D.Phil., F.L.S., F.R.E.S.
Prof. T. R. E. SOUTHWOOD, D.Sc., Ph.D., F.R.S., P.R.E.S.
M. G. MORRIS, M.A., Ph.D., F.R.E.S.
K. G. V. SMITH, M.I.Biol., F.L.S., F.Z.S., F.R.E.S.
J. W. ISMAY, B.Sc., Ph.D., F.R.E.S.
P. M. HAMMOND, M.A., F.R.E.S.
W. R. DOLLING, B.Sc., F.R.E.S.

VOLUME 119

'J'engage donc tous à éviter dans leurs écrits toute personalité, toute allusion dépassant les limites de la discussion la plus sincère et la plus courtoise.' — *Laboulbène.*

THE ENTOMOLOGIST'S MONTHLY MAGAZINE
BRIGHTWOOD
BRIGHTWELL, WALLINGFORD, OXON OX10 0QD
1983

CONTENTS

CONTRIBUTORS iii
GENERAL INDEX iv
SPECIAL INDEX –
ARACHNIDA vii
COLEOPTERA vii
DERMAPTERA ix
DICTYOPTERA ix
DIPTERA ix
HEMIPTERA x
HYMENOPTERA x
LEPIDOPTERA xi
ODONATA xii
ORTHOPTERA xii
PSOCOPTERA xii
SIPHONAPTERA xii
THYSANURA xii
GROUPS OTHER THAN INSECTA AND ARACHNIDA xii

DATES OF PUBLICATION

January/February/March/April	28th March 1983
May/June/July/August	29th July 1983
September/October/November/December	28th November 1983

INDEX

This index covers the year 1983 (Vol. **119**). Items occurring on the wrappers are indicated by Roman numerals. Prepared by Sir Christopher Andrewes.

INDEX TO CONTRIBUTORS

Alexander, K.N.A., 66, 74, 90, 115, 150, 219
Allen, A.A., 42, 62
Askew, R.R., 220
Avasthi, R.K., 103
Baker, C.S. Wood-, 55
Barnard, P.C., 248
Beaucournu, J.C., 227
Beaver, R.A., 140
Beri, S.K., 225
Billany, D.J., 117
Bird, T.J., 150
Blackman, R.L., 50
Bowden, J., 141
Browne, F.G., 33
Bunn, D.S., 27
Carr, R., 231, 244
Carter, C.I., 117
Chandler, P.J., 210, 224, 250
Cheke, R.A., 215
Claridge, M.F., 184
Classey, E.W., 184
Constantinou, C., 35, 39
Cooter, J., 116, 134, 231, 233
Cotman, H.E., 251
Crow, P., 79
Crowson, R.A., 17, 28, 244
Cull, S.B., 145
Deeming, J.C., 83
Disney, R.H.L., 241, 245
Dolling, W.R., 70, 102, 249
Doncaster, H.D., 121
Drake, C.M., 12, 110
Duncan, A.B., 244, 247
Eastop, V.F., 95
Eds., 94, 96, 99, 110, 116, 178, 220
Edwards, M., 256
Elliott, P., 85
Elton, C.S., 185
Erzinçlioğlu, Y.Z., 51
Fallis, S.P., 75
Fergusson, N.D.M., 199, 207
Fielding, N.J., 117
Fishpool, L.D.C, 215
Fordy, M.R., 85
Foster, G.N., 62, 228
Freeman, P., 161
Greathead, D.J., 63
Guiguen, C., 227
Hammond, P.M., 38, 220
Harris, K.M., 28, 232, 240, 248
Hodge, P.J., 110, 159, 170, 176
Horsefield, D., 62, 80, 84
I.C.Z.N., 96, 176, 258
Irwin, A.G., 54, 80, 83, 214
Ismay, J.W., 185
Jago, N.D., 151
Jarvis, C. MacKechnie-, 171
Jessop, L., 221
Kenward, H.K., 160, 220
Kerrich, G.J., 185
Key, R.S., 71, 248
King, P.E., 85
Kirby, P., 43, 72, 116
Krikken, J., 137
Launay, H., 227
Le Quesne, W.J., 177
Liston, A.D., 31, 67, 94, 135
Mann, J.S., 17
Miles, P.M., 80
Mitra, T.R., 29
Morgan, M.J., 72
Morris, M.G., 42, 186
Morton, G., 184
Mound, L.M., 185
Nixon, G.E.J., 1, 253
Orton, P.D., 90, 94
Owen, J.A., 191, 198, 224
Parry, J., 13, 38
Payne, R.M., 209
Polaszek, A., 252
Pont, A.C., 111, 119, 137
Pontin, A.J., 206
Quicke, D.L.J., 81, 91, 94, 147, 258
Read, R.W.J., 192
Ritchie, J.M., 97
Rivers, C., 89
Shafee, S.A., 103
Shaw, M.R., 73
Sinclair, M., 220
Smith, E.J., 243
Smith, K.G.V., 32, 41, 50, 53, 179, 252
Smith, P., 134
Snow, K.R., 75
Southwood, T.R.E., 183
Stroyan, H.L.G., 257
Taylor, E., 186
Thompson, J.L. Cloudsley, 39
van Emden, H.F., 186
Verdcourt, B., 110, 210
Welch, R.C., 16, 38, 80, 197, 232, 236
Whitcombe, R.P., 51
Williams, P.H., 193
Winter, T.G., 117
Withers, P., 11, 34
Wright, R.I. Vane-, 211
Yalden, P.E., 105
Yeo, P.F., 84

GENERAL INDEX

Abundance of *Larinus planus* and *Phinocyllus conicus* (Col., Curculionidae) in Dorset and adjacent counties, 42
African forest grasshoppers, a new genus of, and its differentiation from the genus *Odontomelus* (Orth., Acrididae), 151
Afrotropical genus *Archibracon* (Hym., Braconidae, Braconinae), characteristics and new generic synonymy, 147
Anglesey, *Gasteruption minutum* (Hym., Gasteruptionidae) on, 150
Anting by a rook, 96
Arctic-Alpine sawflies (Hym., Tenthredinidae) from the Scottish southern uplands, 67
Argyll, *Eudorylas terminalis* (Dipt., Pipunculidae) in, 80
Australian scientists: develop 'living pesticide', 116; use nature to control water weed, 110
Beech, *Chymomyza* (Dipt., Drosophilidae) attracted to naturally exposed heartwood of a fallen, 210
Behaviour: intercolonial, in the hornet *Vespa crabro* (Hym., Vespidae), 253; mating and flight in *Acrocera orbicula* (Dipt., Acroceridae), 256
Berkshire, *Acrotona consanguinea* (Col., Staphylinidae) in Windsor Forest, 198
Biometric data for *Clethrobius comes* (Hom., Aphidoidea), 55
Brecknockshire, *Calosoma inquisitor* (Col., Carabidae) from, 248
Britain, *Aphaereta pallipes* (Hym., Braconidae) new to, and the Palaearctic Region with remarks on other parasites of Diptera, 73; *Atheta hansseni* (Col., Staphylinidae) new to, 191; *Ceratophyllus chasteli,* a flea new to, 227; *Cicadula flori* (Hem., Cicadellidae) new to, 177; *Dendroctonus micans* (Col., Scolytidae) in, 231; *Fannia lineata* (Dipt., Fanniidae), new to, 229; *Haliplus varius* (Col., Haliplidae) new to, 13; more about *Phyllodecta polaris* (Col., Chrysomelidae) in, 191; *Pristiphora karvoneni* (Hym., Tenthredinidae) new to, 135; *Zorochros flavipes* (Col., Elateridae) new to, 233
British, male (a second) of *Endelomyia aethiops* (Hym., Tenthredinidae), 31; Sciaridae (Dipt.), revisionary notes on, 161; species of *Anthocoris* (Hem., Anthocoridae), 220; *Troglops cephalotes* (Col., Melyridae), from Buckinghamshire, possibly a new, 71; Syrphidae, records of rare, 11
Buckinghamshire, *Troglops cephalotes* (Col., Melyridae) from, possibly a new British species, 71
Calcutta (India), Odonata of, 29
Cambridgeshire, *Selatosomus nigricornis* (Col., Elateridae) in, 72
Carboniferous limestone, *Dilta hibernica* (Thysanura, Machilidae) widespread on, in north-west England, 66
Catalogues, new (1982) from IBRA, 96
China, three new species of Scolytidae (Col.) from southern, 33
Circadian rhythms of activity in *Blaps wiedemanni* (Col., Tenebrionidae) from Kuwait, 35
Classification and anatomy of Donaciinae (Col., Chrysomelidae), 17
Climate and parasites, effects of, on *Gilpinia hercyniae* (Hym., Diprionidae) in Britain, 117
Colony failure and usurpation in the hornet, *Vespa crabro* (Hym., Vespidae), 1
Colour patterns of Quaternary fossil insects, 160
Composite type specimen in the Heteroptera (Hem.): Coreidae and Alydidae, 249
Cumbria, *Cymindis vaporariorum* (Col., Carabidae) from a coastal bog in, 150; *Eriozona syrphoides* (Dipt., Syrphidae) in, 110; *Lonchoptera* (Dipt.) in, 12; records of three species of *Longitarsus* (Col., Chrysomelidae) from west, 192
Daylight, *Sinodendron cylindricum* (Col., Lucanidae), flying in, 145
Derbyshire, beetles from flood refuse in, 243; *Neodicyphus rhododendri* (Hem., Miridae) in, 116; *Salda morio* (Hem., Miridae) in, 116
Devon, notes on some local ants (Hym., Formicidae) recorded in, 115
Distinction of *Helina almeriensis* and *H. sexmaculata* (Dipt., Muscidae), 237
Donaciinae, the internal anatomy and classification of (Col., Chrysomelidae), 17
Dorset, abundance of *Larinus planus* and *Rhinocyllus conicus* (Col., Curculionidae) in, and adjacent counties, 42
Dumfriesshire, *Bombus sylvarum* (Hym., Apidae) in, 247; *Xanthogramma pedesequum* (Dipt., Syrphidae) in, 244
Dung, *Chrysomya albiceps* (Dipt., Calliphoridae) in, and causing myiasis in Oman, 51
Durham, *Hydroporus scalesianus* and *Laccornis oblongus* (Col., Dytiscidae) in Hart Bog, 62
Earliest date in Great Britain for *Eriozona syrphoides* (Dipt., Syrphidae), 79
East Anglia, *Bibloplectus minutissimus* (Col., Pselaphidae) in, 214

Eastern England, records of some wasps and a bee (Hym., Aculeata) from, 84
Eggs, eclosion and viability, protracted, of *Oedaleus senegalensis* (Orth., Acrididae), 215; aphid, and ants of the genus *Lasius*, 206
Editorial, 97
England, a new species of *Megaselia* (Dipt., Phoridae) from, 241
Essex, *Graptodes bilineatus* (Col., Hydradephaga) in, 231
Europe, an aphid new to, from *Robinia pseudacacia*, in London, 251
Fens, Huntingdonshire, *Bibloplectus tenebrosus* (Col., Pselaphidae) in, 38; Lincolnshire, Corixidae (Hem.) from, 43; Cambridgeshire, *Selatosomus nigricornis* (Col., Elateridae) from Woodwalton Fen, 72
Flood refuse in Derbyshire, beetles from, 243
Foodplants of: *Meligethes subrugosus* (Nitidulidae) and *Chrysolina fastuosa* (Chrysomelidae) (Col.), 244; *Eysarcoris fabricii* (Hem., Pentatomidae), an unusual, 62
Foraging habitats of four species of ant on Ramsey Island (Dyfed), 121
Fossil insects, colour, patterns of Quaternary, 160
Fungal hyphae, *Sigara dorsalis* (Hem., Corixidae) feeding on, 73
Further records of *Lasiambia* (Dipt., Chloropidae), 224
Garden Chafer, (*Phyllopertha horticola*), the larva of *Helina quadrum* (Dipt., Muscidae) a predator on the larva of the, 53
Habitat of *Ptinus sexpunctatus* (Col., Ptinidae), 42
Herefordshire, *Hylecoetus dermestoides* (Col., Lymexylidae) in, 116; some records of *Trichius fasciatus* (Col., Scarabaeidae) in, 134
Hertfordshire, *Aleochara inconspicua* (Col., Staphylinidae) in, 197
Honey-bees; IBRA catalogues (1982), 96; viruses of, xi
Hornet, colony failure and usurpation in, 1
Host records for genera and species of Braconinae (Hym., Braconidae) including economically important species, some new, 91, 94
Huntingdonshire: *Badonnelia titei* (Psocopt., Sphaeropsocidae), from a second locality, 236; *Bibloplectus tenebrosus* (Col., Pselaphidae) in fens, 38; *Trichius fasciatus* (Col., Scarabaeidae) in, 232
India; a new species of *Rastrococcus* (Hom., Pseudococcidae) from, 103; Odonata of Calcutta, 29; *Ophiomyia cicivora* (Dipt., Agromyzidae), a new record of a gram stem miner from, 225; [north-west] Social wasps (Hym., Vespidae) from, 193
In Memoriam, Dr B.M. Hobby, 179
Instar number and determination of sex, of nymphs of the Senegalese grasshopper, *Oedaleus senegalensis* (Orth., Acrididae), 97
International Bee Research Association (IBRA), new (1982) catalogues, 96
International Commission on Zoological Nomenclature, 96, 176, 258
Intertidal Carabid, *Cillenus laterale* (Col.), observations on, 85
Invertebrate fauna of juniper in the Lake District, 49
Isle of Wight: *Berytinus hirticornis* (Hem., Berytidae) in the, 70; *Heteromeringia nigrimana* (Dipt., Clusiidae) in the, 250
Juniper, invertebrate fauna of, in the Lake District, 49
Jura, Paps of, *Nebria nivalis* (Col., Carabidae) from, 16
Kent; *Anthicus scoticus* (Col., Anthicidae) new to, 38; *Berytinus hirticornis* (Hem., Berytidae) in East, 70; *Laccobius atrocephalus* (Col. Hydrophilidae) in, 244
Kirkcudbrightshire, *Dirhagus pygmaeus* (Col., Eucnemidae) a second Scottish record from, 80
Kuwait, circadian rhythms of activity in *Blaps wiedemanni* (Col., Tenebrionidae) from, 35
Lake District, invertebrate fauna of juniper in, 49
Larval development in *Orthopodomyia pulchripalpis* (Dipt., Culicidae), 75
Larva of *Helina quadrum* (Dipt., Muscidae) a predator on the garden chafer (*Phyllopertha horticola* (Col., Scarabaeidae), 53
Lincolnshire, fens, Corixidae (Hem.) from, 43
Malham Tarn, Yorkshire, Diptera from, 34
Mass flight by *Aphodius contaminata* (Col., Scarabaeidae), 220
Merioneth, *Eriozona syrphoides* (Dipt., Syrphidae) in, 79
Myiasis, *Chrysomya albiceps* (Dipt., Calliphoridae), causing, in Oman, 51
New combinations, three, in Indo-Australian Braconinae (Hym., Braconidae), 258
New Guinea, a new genus and species of Cetoniine beetle (Col., Scarabaeidae) from, 137
Norfolk: *Bibloplectus tenebrosus* (Col., Pselaphidae) in east, 38; *Eudorylas terminalis* (Dipt., Pipunculidae) in, 80
Northumberland, *Aleochara inconspicua* (Col., Staphylinidae) in, 197
Obituaries; John Priestman Doncaster, 95; Dr B.M. Hobby, 179; Rev. E.J. Pearce, 171

Old World, tropical Braconinae (Hym.) described by Cameron, Strand and Szépligeti, 81
Oman, *Chrysomya albiceps* (Dipt., Calliphoridae) in dung and causing myiasis in, 51
Palaearctic Region: *Aphaereta pallipes* (Hym., Braconidae) new to Britain and the, 73; species of *Fannia* (Dipt., Fanniidae), notes on two, 111
Parasites; climate and, effects of on *Gilpinia hercyniae* (Hym., Diprionidae) in Britain, 117; of *Coniesta ignefusalis* (Lep., Pyralidae) in Nigeria, the true identity of reported braconid (Hym.), 94; of Diptera, remarks on, 73
Peak District; pitfall trapping data of Coleoptera from the, 134; pollen collected by *Bombus lucorum* (Hym., Apidae) in the, 105
Pembrokeshire, *Eurina lurida* (Dipt., Chloropidae) in, 91
Perthshire, Coleoptera from moss samples from on or near mountain summits in the neighbourhood of Rannoch, 90; *Philonthus scoticus* (Col., Staphylinidae) discovered in, 94
Pitfall trapping data of Coleoptera from the Peak District, 134
Pollen collected by *Bombus lucorum* (Hym., Apidae) in the Peak District, 105
Predator on larvae of the garden chafer, *Phyllopertha horticola* (Col., Scarabaeidae), the larva of *Helina quadrum* (Dipt., Muscidae) a, 53
Quaternary fossil insects, colour patterns of, 160
Radnorshire, *Calosoma inquisitor* (Col., Carabidae) from, 248
Ramsey Island, Dyfed, the foraging behaviour of four species of ant on, 121
Reclassification of twenty species of tropical Old World Braconinae described by Cameron, Strand and Szépligeti (Hym., Braconidae), 81
Records of *Gnypeta velata* (Col., Staphylinidae), further, 110
Rediscovery and significance of *Nessaea aglaura* 'ab margaretha' (Lep., Nymphalidae) with hostplant records for the species, 211
Review of the genus *Platytelenomus* (Hym., Proctotrupoidea), 199
REVIEWS. – **Birch, M.C. & Haynes, K.F.,** 1982, *Insect Pheromones*, 248; **Brooks, M. & Knight, C.,** 1982, The Complete Guide to British Butterflies, 89; **Burton, J.,** 1981, *The Oxford Book of Insects*, 32; **Carter, C.I. & Maslen, N.R.,** 1981, *Conifer Lachnids*, 50; **Chapman, R.F.,** 1982, *The Insects: Structure and Function*, 102; **Cheesbrough, M.,** 1981, *Medical Laboratory Manual for Tropical Countries*, Vol. 1, 133; [Cotton Insects], *35th Annual Conference Report on Cotton-insect Research and Control*, 146; **Cranston, P.S.,** 1982, *A Key to the Larvae of the British Orthocladiinae (Chironomidae)*, 252; **Docters van Leeuwen, W.M.,** 1982, *Gallenboek*, 232; **Hennig, W.,** 1981, *Insect Phylogeny*, 41; **IAEA & FAO Joint Symposium,** [1981], 1982, *Sterile Insect Technique and Radiation in Insect Control*, 160; **Klausnitzer, B.,** 1981, *Wunderwelt der Käfer*, 28; **Leonhardt, B.A. & Beroza, M.,** 1982, *Insect Pheromone Technology: Chemistry and Applications*, 28; **Le Quesne, W.J. & Payne, K.R.,** 1981, *Handbooks for the Identification of British Insects – Cicadellidae (Typhlocybinae), Hemiptera, Homoptera*, 50; **McAlpine, J.F., Peterson, B.V., Shewell, G.E., Teskey, H.J., Vockeroth, J.R. & Wood, D.M.,** 1981, *Manual of Nearctic Diptera*, 32; **Macan, T.T.,** 1982, *The Study of Stoneflies, Mayflies and Caddis Flies*, 248; **Metcalf, R.L. & Luckmann, W.H.,** 1982, *Introduction to Insect Pest Management*, 136; **Pedgley, D.,** 1982, *Windborne Pests and Diseases*, 146; **Raabe, M.,** 1982, *Insect Neurohormones*, 240; **Rozkosný, R.,** 1982, 1983, *A Biosystematic Study of the European Stratiomyidae (Diptera)*, 252; **Unwin, D.M.,** 1982, *A Key to the Families of British Diptera*, 109; **White, I.M. & Hodkinson, I.D.,** 1982, *Handbooks for the Identification of British Insects – Psylloidea (nymphal stages), Hemiptera, Homoptera*, 102; [**Wilkes**] [1742], 1982, *Benjamin Wilkes: The British Aurelian* [facsimile reprint], 146; **Wood, S.L.,** 1982, *The Bark and Timber Beetles of North and Central America (Coleoptera: Scolytidae), a Taxonomic Monograph*, 140.
Royal Entomological Society of London, sesquicentennial anniversary, 94
Saudi Arabia, two new species of *Leptomydas* (Dipt., Mydaidae) from Turkey and, 141
Scotland: *Coelambus confluens* (Col., Dytiscidae) in, 228; recent records of *Dorylomorpha beckeri* (Dipt., Pipunculidae) from, 83; record, *Dirhagus pygmaeus* (Col., Eucnemidae) from Kirkcudbrightshire, a second, 80; records of *Stenus nitens* (Col., Staphylinidae), 220; southern uplands, Arctic-alpine sawflies (Hym., Tenthredinidae) from the, 67
Sex, determination of, and instar number of nymphs of the Senegalese grasshopper, *Oedaleus senegalensis* (Orth., Acrididae), 97
Seychelles Islands, Bombyliidae (Dipt.) from the granitic, 63
Somerset, *Leistus rufomarginatus* (Col., Carabidae) in, 209
Southern England, some records of *Pediacus dermestoides* (Col., Cucujidae) from central, 219

Status of the genus *Allophanurus* (Hym., Proctotrupoidea, Scelionidae), 207
Suffolk, *Acartophthalmus bicolor* (Dipt., Acartophthalmidae) in, 54; *Eucinetus meridionalis* (Col., Eucinetidae) in, 198
Surrey, *Carpelimus subtilis* and *Bledius fergussoni* (Col., Staphylinidae) in a sand-pit, 176
Sussex: *Atheta (Phyconoma) immigrans* (Col., Staphylinidae) from west, 160; further notes on *Lathridius consimilis* (Col., Lathridiidae) in, 170; *Rhynchites olivaceus* (Col., Attelabidae) in, 159
Sutherland, *Nebria nivalis* (Col., Carabidae) from Ben Hope, 16
Synonymy, new, in *Aphis* (Hom., Aphidoidea), 257
Syrphidae, records of rare British, 11
Tarantulas (Aranae, Mygalomorphae), uptake of water by, 39
Turkey, two new species of *Leptomydas* (Dipt., Mydaidae) from Saudi Arabia and, 141
Type-series of *Megaselia collini* (Dipt., Phoridae) has four included species, 245
Uganda, *Atherigona* spp. (Dipt., Muscidae) as prey of *Dasyproctus bipunctatus* (Hym., Sphecidae) in, 83
Usurpation and colony failure in the hornet (*Vespa crabro*), 1; in the wasp (*Vespula vulgaris*), 27
Wales: *Cyphostethus tristriatus* (Hem., Acanthosomatidae) on *Chamaecyparis* in south, 220; *Dilta hibernica* (Thysanura, Machilidae) widespread in, 66; *Eriozona syrphoides* (Dipt., Syrphidae) at Morfa Harlech, Merioneth, North, 79; further records of *Trichius fasciatus* (Col., Scarabaeidae) in, 80; *Leistus rufomarginatus* (Col., Carabidae) in the Uplands of south, 74; *Nasonovia (Kakimia) saxifragae* (Hem., Aphididae), new to, 115
Water beetles, a hazard for, 110
Water uptake of, by tarantulas (Araneae, Mygalomorphae), 39
Windsor (Berkshire): *Dryophthorus corticalis* (Col., Curculionidae) struggles to survive at, 224; persistance of *Elater* (= *Ludius*) *ferrugineus* (Col., Elateridae) in a suburban garden at, 210
Woodwalton Fen, *Selatosomus nigricornis* (Col., Elateridae) in, 72
Yorkshire: *Agabus melanarius* (Col., Dytiscidae) in Kilton Woods (NE), 80; Diptera of the Malham Tarn area of, 34; *Platydracus fulvipes* and *Euryporus picipes* (Col., Staphylinidae) at Bastow Wood, Wharfedale, 84

SPECIAL INDEX

New genera, and species, etc., are indicated by heavy type, genera and species new to Britain by an asterisk (*).

ARACHNIDA

Aphonopelma sp., 39
Avicularia avicularia, 39-40
Brachypelma smithi, 39-40
Eurypelma mesomelas, 39-40

COLEOPTERA

Acidota crenata, 90
Acrotona consanguinea, 198
Aelates atomarius, 198
Aëpus robini, 86-7
Agabus melanarius, 80
Agathidium convexum, 134
Aleochara grisea, 160; inconspicua, sparsa, 197
Aloconota gregaria, 16, 243
Amara lunicollis, 134
Amischa analis, 134, 243
Anacaena globulus, 134
Analeptis trifasciata, 92
Antherophagus, 42
Anthicus scoticus, 38
Anthophagus alpinus, 16, 90; caraboides, 90
Aphidecta obliterata, 243
Aphodius, 160; ater, 243; contaminatus, prodromus, 220
Apion frumentarium, 243
Aridius nodifer, 134
Arpedium brachypterum, 16, 90
Atheta arctica, 90; cadaverina, 191; celata, 16; graminicola, 134; *hansseni, 191; immigrans, 160; tibialis, 16, 90
Attelabus, 176
Baeocera, 96
Bibloplectus minutissimus, 214; tenebrosus (= margaretae), 38

Blaps requieni, wiedemanni, 35-7
Bledius fergussoni, 176; spectabilis, 86
Bolitobius cingulatus, 243
Bolitochara lucida, 243
Boreophilia islandica, 90
Brachygluta fossulata, 38
Bradycellus collaris, 90
Calosoma inquisitor, 248
Calathus erratus, fuscipes, 134; melanocephalus, 90, 134
Carabus problematicus, violaceus, 134
Carpelimus subtilis, zealandicus, 176
Cephennium gallicum, 38
Cercyon littoralis, 160
Cerylon ferrugineum, 219
Chrysolina fastuosa, 244
Cillenus laterale, 85-8
Cnestus **maculatus**, magnus, 33
Coccinella septumpunctata, 243
Coccinellid larvae, 49
Coelambus confluens, 228
Cryptophagus lycoperdi, 134; pubescens, setulosus, 42
Cymindis vaporariorum, 150
Cyrtobagous singularis, 110
Dendroctenus frontalis, 140; *micans, 231; ponderosae, 140
Dicheirotrichus gustavi, 86
Dinaraea angustula, 134
Dirhagus pygmaeus, 80
Dirphya nigricornis, princeps, 92
Dlochrysa, 244
Donacia clavipes, crassipes, simplex, thalassina, vulgaris, 17-24
Donaciasta, 25
Donaciocrioceris, 25
Dorcus parallelipedus, 198
Drusilla canaliculata, 38, 134
Dryophthorus corticalis, 224
Dyschirius globosus, 134, 243
Elater ferrugineus, f. v. occitanicus, 210
Epuraea biguttata, 243
Euaesthetus ruficapillus, 243
Eucinetus meridionalis, 198
Eudectus whitei, 90
Euplateumaris, 17
Euplectus fauveli, kirbyi, 198
Eurhin, 176
Eurhinus, 176
Eurhynchus, 176
Euryporus picipes, 84
Geodromicus longipes, 16, 90, 243
Gnypeta carbonaria, 243; ripicola, velata, 110
Graptodytes bilineatus, 231
Gyrohypnus, 258
Haliplus confinis, fulvus, heydeni, laminatus, obliquus, ruficollis, varius, 13-5
Helophorus aquaticus (= aequalis), 110, brevipalpis, 110, 228; grandis, minutus, 110
Heterocerus fenestratus, 86
Hybosorus illigeri, 96
Hydroporus elongatulus, 198; planus 228; pubescens, 110; scalesianus, 62
Hylecoetus dermestoides, 116
Hypnoidus riparius, 243
Ilybius guttuger, 62
Juliusina, 17
Laccobius atrocephalus, 244
Laccornis oblongus, 62
Larinus planus, 42
Lathridius consimilis, 170
Lathrobium quadratum, 243
Leistus rufescens, 134; rufomarginatus, 74, 209
Leptinus, 42
Lesteva heeri, 243; monticola, pubescens, 90
Liogluta nitidiuscula, 90
Longitarsus membranaceus, plantagomaritimus, rubiginosus, 192
Lophostoma, 137
Loricera pilicornis, 134
Ludius, 210
Lymexylon navale, 116
Macroplea appendiculata, mutica, 17-25
Meligethes difficilis, subrugosus, 244
Miarus campanulae, 244
Mniusa incrassata, 16, 90
Mycetoporus angularis, 16, 90; bauderi, erichsonanus, lepidus, monticola, 90
Myrmecopora sulcata, 160
Nebria brevicollis, 134; gyllenhali, 16, 115, 136; nivalis, 16; salina, 16, 134
Notiophilus aquaticus, 16, 134, 243; biguttatus, 90, 134, 243; germinyi, 16, 134; substriatus, 90; sp., 87
Olisthopus rotundatus, 134
Olophrum piceum, 243
Omalium laeviusculum, 160
Orchesia undulata, 219
Othius, 258; angustus, 90, 243; myrmecophilus, 16, 90, 134
Otiorhynchus arcticus, nodosus, 90; singularis, 49
Oxypoda elongatula, 243
Patrobus assimilis, 16, 90, 115; septentrionis, 90
Pediacus dermestoides, 219
Peltodytes caesus, 16
Peotoxus, 137; **bacchusi**, 138-9
Philonthus scoticus, 94
Phoracantha, 91
Phyllodecta polaris, vulgatissima, 191
Phyllopertha horticola, 53
Pityophthorus, 140
Plateumaris braccata (= nigra), discolor (= geniculata), sericea, 17-24
Platydracus fulvipes, 84
Platystethus arenarius, 90
Podabrus alpinus, 49
Ptenidium turgidum, 198
Pterostichus adstrictus, 115; diligens, 16; madidus, 134; strenuus, 134, 243

Ptinus sexpunctatus, subpilosus, 42
Quedius boops, 90, 243; boopoides, molochinus, nitipennis, 243
Rhagium bifasciatum, 49
Rhinocyllus conicus, 42
Rhizophagus bipustulatus, 219
Rhynchites olivaceus, 159
Rhynchophorus ferrugineus, 160
Schochidia (= Lephostoma), 137; chlorotica, 138
Scolytus multistriatus, 140
Selatosomus nigricornis, 72
Silpha atrata, 38
Simplocaria semistriata, 243
Sinodendron cylindricum, 145
Sominella macrocnemia, 17-25
Stenichnus godarti, 198
Stenus binotatus, 243; brevipennis, geniculatus, 90; impressus, 90, 134; juno, 243; nitens, 220; nitidiusculus, 90, 243; picipes, 243; rogeri, 134, 243
Stethaspis, 176
Tachyporus chrysomelinus, nitidulus, 243
Trechus micros, 243; obtusus, 90, 134
Trichius fasciatus, 80, 134, 232
Trichocellus cognatus, 90
Troglops [?*] cephalotes, c. v. cruentus, 71-2
Tychus niger, 243
Xantholinus, 258
Xyleborus **huangi, hunanensis**, kelantanus, sulcatulus, sulcatus, 33-4
Xylosandrus compactus, 140
Zorochros dermestoides, dufouri, *flavipes, f. v. dufouri, f. v. fauconnetti, f. v. viturati, minimus, 233-6

DERMAPTERA

Forficula auricularia, 49

DICTYOPTERA

Arenivaga investigata, 39-40

DIPTERA

Acartophthalmus bicolor, 54
Acrocera orbicula, 256
Aedes geniculatus, 76
Anasimyia interpuncta, lunulata, 11
Anopheles plumbeus, 76
Anthalia, 96
Anthrax distigma, koshunensis, trimaculatus, wulpi, sp., 63-5
Atherigona aberrans, bimaculata, conigera, laevigata, perfida, secrecauda, tomentigera, trapezia, sp. (sp.n. nr. fililoba), 83
Bombyliidae, 143
Brachypalpus (= bimaculatus) laphriformis, 11
Bradysia *brunnipes, *cinereovittatum, **edwardsi**, *fenestralis, *fimbricauda, *inusitata, nervosa, *normalis, *prosciaroides, pullula, pygmaea, strigata, umbratica, 168-70
Bradysiopsis, 168
Cacatuopyga, 141
Chironomidae, 228
Chrysogaster, 12
Chrysomya albiceps, chloropyga, marginalis, megacephala, putoria, rufifacies, 51-2
Chymomyza discincta, fuscimana, 210
Clusia flava, 250
Corynoptera **abblanda**, acanthostyla, blanda, **coei**, **curvispinosa**, fulvicollis, **globula**, irmgardis, longicornis, **setosa**, spinifera, subblanda, 163-65
Dorylomorpha beckeri, 83
Ectinocera borealis, 34
Epidapus atomarius, **edwardsi** (nom.n.), gracilis, 170
Eriozona syrphoides, 79, 110
Eudorylas terminalis, 80
Eurina lurida, 90
Fannia aequilineata, 229-231; argentea atra, barbata, 113-4; canicularis, 229-31; carbonaria, cothurnata, fuscinata, ipinensis, krimensis (= argentea syn.n.), 111-3; lineata, 229-31; metallipennis, minutipalpis, **pallidibasis**, tuberculata, 111-3
Geron gibbosus, seychellarum, umbripennis, 63-5
Helina almeriensis, 237-40; buhri, 54; clara, 54, 237-40; impuncta, pertusa, 54, quadrum, 53-4; sexmaculata v. almeriensis, 237-40
Hemineurina, 168
Heteromeringia nigrimana, 250
Heterosciara semialata, 169
Homalomyia lineata, 229-31
Hylemyia coarctata, 197
Hyperlasion curtipennis, 169
Lasiambia baliola, brevibucca, 224
Lejogaster, 12
Leptomydas batyr, corsicanus, **danaus**, grunbergi, lineatus, lusitanicus, maculatus, padischach, rufipes, sardous, shach, **turcicus**, 141-5
Leptosciarella, 163-5
Lespesia, 258
Leucozona lucorum, 79
Limnophora exuta, 34
Liriomyza cicerina, 225
Lonchoptera furcata, meijeri, 12
Lycoriella *leucotricha, *lundstromi, *modesta, 168
Megaselia, collini, 245-7; **hartfordensis**, 241-2; hendersoni, nudiventris (= aperta), rubella, 245-7; serrata, 241-2, testacea, 245-7

Meonura neottiophila, 54
Midas, 143
Mouffetina pulchricornis, 169
Mya, 258
Mydaea uliginosa v. nigripalpis, 237-40
Mydas clavatus, 143
Mydaidae, 143
Myolepta luteola, 11
Neocnemodon brevidens, 11
Neoleria ruficeps, 54
Ophiomyia centrosomatis, 245; cicerivora, 225; orbiculata, phaseoli, shibatsuji, spencerella, 225
Orthonevra geniculata, brevicornis, 12
Orthopodomyia pulchripalpis (= albionensis), 75-8
Pherbellia nana, 34
Phytomyza horticola, 225
Piophila foveolata, varipes, vulgaris, 54
Plastosciara, 167; egertoni, keilini, pernicicosa, pernitida, pulchricornis, 169-70
Pteromicra glabricula, 34
Rhamphomyia plumipes, 34
Sarcophaga nigriventris, rosellei, 73
Scatopsciara **coei**, **edwardsi**, pusilla, vivida, 168-70
Sciara **nursei**, 163-4; scotica, semialata, 171; thomae, 163
Somomya, 258
Sphaerophoria rueppellii, virgata, 11
Sphegina clunipes, kimakowiczi, verecunda, 11-12
Spilogaster uliginosa, 237-40
Stratiomys, 74
Tetanura pallidiventris, 34
Thricops aculeipes, 34
Trichosia **basdeni**, coarctata, glabra, 163-5; scotica, 171; **yerburyi**, 163-5
Triglyphus primus, 12
Villa, 65
Wiedemannia bistigma, lota, 34
Xanthogramma pedisequum, 244

HEMIPTERA

Allygus, 258
Alydus gracilipes, 249-50
Anthocoris amplicollis, confusus, gallerumulmi, limbatus, minki, 221-3; nemoralis, 49; n. butleri, n. nemoralis, pilosus, sibiricus, simulans, visci, 221-3
Anuraphis farfarae, 59
Aphis cornifila, diphaga, praeterita, scorodoniae, 257
Appendiseta robiniae, 251
Bagrada cruciferarum, 207-9
Betacallis, 56; odaiensis, 57
Berytinus clavipes, hirticornis, 70
Calaphis, 176
Callaphis, 176
Callicorixa praeusta, 47
Callipterus, 55; *robiniae, 251
Campylosteira, 96
Chaetophorus leucomelas, versicolor, 221
Cicadula aurantipes, *flori, quadrinotata, quinquenotata, 177
Cinara juniperi, 49
Clethrobius comes (= Callipterus giganteus), betulae, 55-61
Coreus tenuicornis, 250
Corixa affinis, panzeri, punctata, 47-8
Cymatia bonsdorffi, coleoptrata, 47-8
Cyphostethus tristriatus, 220
Dactylopius, 258
Euceraphis, 55; gillettei, punctipennis, 57
Eysarcoris fabricii, 62
Hesperocorixa linnei, sahlbergi, 47-8
Heteroptera eggs, 207-9
Hydara tenuicornis, 249-50
Kakimia, 115
Lethocerus, 258
Myzocallis, 251
Myzus festucae, 176
Nasonovia saxifragae, 115
Neanoecia, 206
Neides tipularius, 70
Neodicyphus rhododendri, 116
Oeciacus, 176
Pemphigus bursarius, filaginis, populinigrae, spirothecae, 221-2
Pseudococcus, 258
Rastrococcus **cappariae**, iceryoides, 103-4
Riptortus pilosus, 249
Salda morio, 116
Sigara concinna, distincta, 47-8; dorsalis, 47-8, 72; falleni, fossarum, lateralis, nigrolineata, stagnalis, 47-8
Stomaphis, 206
Symydobius, 55
Uroleucon hypochoeridis, 55

HYMENOPTERA

Agenioideus cinctellus, 84
Allophanurus arminon, indicus, vibius, 207-9
Amauronematus tillbergi, 67
Amyosoma, 93
Anagyrus scutomaculatus, 103
Ancistroceroides, 258
Apiscerana, 193-7
Aphaereta minuta, pallipes, 73-4
Archibracon deliberator (comb.n.), flaviceps, gutta (comb.n.), possessor (comb.n.), servillei, 147-40
Atanycolus novaguinensis, 258
Bathyaulax crustatulus, delagoensis (comb.n.), dorsalis, dubiosus, lucilucidus (comb.n.), palpator, somaliensis, trifasciatus, 81-3
Bombus lucorum, magnus, monticola, 105-10; ruderarius, (Thoracobombus) sylvarum, 247; terrestris, 105; spp., 193-7

Boreovespula, 195
Bracon aureomaculatus, 92-3
Callibracon sp., 91
Cerceris arenaria, quinquefasciata, 84
Chalcis, 74
Chartocerus kerrichi, 104
Cratobracon curvicanaliculatus (comb.n.), kinabaluensis (comb.n.), 82
Curriea sp., 91
Dasyproctus bipunctatus, 83
Dolerus aeneus, 67
Ectemnius rubicola, 84
Endolomyia aethiops, 31
Euurobracon, 92
Euvipio, 93-4; spp., 91-2
Exenterus confusus, tricolor, vellicatus, 119
Formica fusca, 49, 121, 125, 129, 130; lemani, lugubris, 49; rufa, 3, 5
Gasteruption minutum, 150
Gilpinia hercyniae, 117-120
Glyptomorpha, 94; elongata, ferruginea, rufiscapus, tegularis (= Vipio tegularis), transvaalensis (comb.n.), 81-3
Goniobracon delagoensis, leucogaster, 82
Gronaulax lombokiensis, 258
Hemibracon lucidus, 82
Hybogaster keyanus (comb.n.), micholitzi (comb.n.), 82
Icariola, 193
Iphiaulax, 93; crustatulus, curvicanaliculatus, delagoensis, 82; deliberator, 148; distincticarinatus, dorsalis, keyanus, kinabaluensis, leucogaster, lineativentris, 81-2; lombokiensis, 258; luzonensis, marginefoveatus, melancholica, micholitzi, militarsis, 81-2; novaguinensis, 258; palpator, syleus, trifasciata, 81-3; sp., 92
Ipobracon, 93; deliberator, neger, possessor, 148
Lamachus marginatus, spectabilis, 117, 119-20
Lasioglossum cupromicans ssp scoticum, sp., 84
Lasius alienus, 121, 125, 129, 130, 132, 257; brunneus, 206, 224; flavus, 121, 125, 129, 130, 132, 206; fuliginosus, 198, , 206; meridionalis, 106; niger, 121, 124-32, 206; rabaudi, 206; umbrata, 198
Leptomastix nigrocoxalis, 104
Leptothorax acervorum, 49; nylanderi, tuberum, 115
Lygaeonematus karvoneni, 135
Megagonia niger, 82
Megapolistes, 193
Merinotus novaguinensis, novo-guinensis, seticaudis, 258; sp., 92
Metavespula, 194
Myrmica lobicornis, 115; ruginodis, 49, 121, 124-32; sabuleti, scabrinodis, 121, 124-32; sulcinodis, 115
Nematus frenalis, monticola, reticulatus, 67-9
Nundinella, 81
Odesia elongata (comb.n.), 81
Odontoscapus, 81
Olesicampe ratzeburgi, 119
Pachynematus clitellatus, 67
Paracharactus gracilicornis, 94
Paralastor, 258
Paravespula, 194
Philomacroploea, sp., 92-3
Phyllocolpa acutiserra, coriacea, excavata, 67
Platytelonemus, spp., 199
Polistella, 193
Polistes maculipennis, olivaceus, rothneyi carletoni, sp.nr. dominulus, 193-7
Pontania arcticornis, crassipes, pustulator, 67
Pristiphora alpestris, borea, 135; breadalbanensis, carinata, 67-9; concolor, *karvoneni, mollis, 135; micronematica, 67
Promuscidea longiclavata, 104
Psenulus schendki, 84
Pseudovipio sp., 92
Rhamnura, 92-3
Rhopalum coarctatum, 84
Ropalidia fasciata, 193-7
Shelfordia, 81-2, 258; distincticarinata (comb.n.), lineativentris (comb.n.), luzonensis (comb.n.), melancholica (comb.n.), 81; novaguinensis, seticaudis, 258; syleus (comb.n.), 81
Shirakia sp.nr. schoenobii, 92
Stenamma westwoodii, 115
Stenobracon, 92; lucidus, 82
Telenomus arminon, brachialis, vibius, 207-9
Tenthredo moniliata, obsoleta, olivacea, velox, 67
Thoracobombus, 247
Trissolcus arminon, indicus, 207-9
Tropobracon spp., 92
Udamolx gutta, possessor, 148
Vespa analis nigrans, 193-7; crabro, 1-11, 253-6; orientalis orientalis, velutina auraria, v. pruthii, vivax, 193-7
Vespula 256; asiatica, 193-7; austriaca, 49; flaviceps flaviceps, germanica, norwegica, nursei, 193-7; rufa, 49; structor 193-7; vulgaris, 8, 27, 49, 193-7
Vipio, 94; tegularis, transvaalensis, 81
Zaglyptogastra, 81-2; sp. (probably cristatulus) crustatula (comb.n.), leucogaster (comb.n.), niger (comb.n.), 82; sp. (probably cristatulus), 92
Zavipio, 94

LEPIDOPTERA

Acraea, 93, sp., 91
Acraeidae, 93
Amathes alpicola, 69
Anarta melanopa, 67

Argynnis addippe, vii
Bactra sp., 92
Busseola fusca, 92
Catanephele, 211-4
Chilo, 93; zonellus, 92
Coniesta ignefusalis, 91, 94
Cossus cossus, 3
Cyperus rotundus, 92
Danaidae, 93
eggs, 207-9
'Epicalia', 211-4
Etiella zinckenella, 93
Euploea ?asela, 92
Eurodryas aurinia, vii
Gonophlebia, 176
Hesperiidae, 176
Larentia capitata, 258
Maculinea arion, 224
Nessaea aglaura, a. 'ab. margaretha', ancaea, batesii, hewitsoni, obrina, regina, thalia, 211-4
Nymphula, 96
Pseudopontia, 176
Samea multiplicalis, 110
Schoenobius, 92
Xyleutes boisduvali, 92

ODONATA

Acisoma panorpoides panorpoides, 30
Aethriamanta brevipennis brevipennis, 31
Agricnemis dabrui, lacteola, pieris, pygmaea pygmaea, 29-30
Amphiallagma, 30
Anax imperator, 30
Brachydiplax chalybea chalybea, sobrina, 30
Brachythemis contaminata, 30
Bradinopyga geminata, 30
Ceriagrion cerinorubellum, coromandelianum, olivaceum olivaceum, 29
Copera annulata, marginipes, 29
Crocothemis indica, servilia servilia, 30
Diplacodes nebulosa, trivialis, 30
Enallagma, 30; malayanum, parvum, 29-30
Gynacantha dravida, rhammophani, 30
Hemianax ephippiger, 30
Ictinogomphus ferox, rapax, 30
Ictinus, 30
Ischnura aurora aurora, elegans, senegalensis, 29
Lathrecista asiatica, 30
Macrodiplax cora, 30
Mortonagrion, 30
Neurothemis tullia tullia, 30
Onychargia atrocyanea, 30
Orthetrum glaucum, sabina sabina, triangulare triangulare, 30
Pantala flavescens, 30
Pseudagrion decorum, malabaricum, microcephalum, rubriceps, 29
Rhyothemis variegata variegata, 30
Tholymis tillarga, 30
Tramea basilaris burmeisteri, 30
Trithemis pallidinervis, 30
Urothemis signata signata, 30

ORTHOPTERA

Gastrimargus, 100
Locusta, 100
Odontomelus biafrensis, fullonius, kamerunensis, kwidschwianus, olivascens (comb.n.), romi, subtusminiatus, 151-8
Oedaleus johnstoni, nigeriensis, 97; senegalensis, 97-101, 215-9
Paulinea acuminata, 112
Parodontomelus, 151-2
Phlaeoba, 151
Phryganomelus, 151; **auriventer**, biafrensis (comb.n.), fullonius (comb.n.), olivascens, **phalangidus**, romi (comb.n.), 153-8
Usambilla spp., 156

PSOCOPTERA

Badonnelia titei, 236
Caeciliidae, 258
Mesopsocus unipunctatus, 49

SIPHONAPTERA

Ceratophyllus *chasteli, columbae, spinosus, titicacensis, 227

THYSANURA

Dilta hibernica, 66

GROUPS OTHER THAN INSECTA AND ARACHNIDA

Aves, 96, 161, 168, 227-8, 230
Chilopoda, 49, 128
Isopoda, 128, 214
Mammalia, 230
Mollusca, 73

Produced by Gem Publishing Company (Oxon) Ltd, Brightwell, Wallingford, Oxon.